

AL- Mustaqbal University  
Science College  
Dep. Medical physics



Medical physics  
Third Stage

Lec 6

## ELEMENTS OF LASER

م . م علي سلمان حمادي

## ELEMENTS OF LASER


Three functional elements are necessary in lasers to produce coherent light by stimulated emission of radiation.( Figure below ) illustrates these three functional elements :

1- **Active medium**

2- **Energy source**

3- **Resonator** : a- high reflectance mirror ( 100% reflectivity ) .

b- Partially transmitting mirror (Reflectivity less than 100% ) .



## ACTIVE MEDIUM

The active medium is a collection of atoms or molecules that can be excited to a state of inverted population; that is, where more atoms or molecules are in an excited state than in some lower energy state. The two states chosen for the lasing transition must possess certain characteristics. First, atoms must remain in the upper lasing level for a relatively long time to provide more emitted photons by stimulated emission than by spontaneous emission. Second, there must be an effective method of "pumping" atoms from the highly-populated ground state

into the upper lasing state in order to increase the population of the higher energy level over the population in the lower energy level. An increase in population of the lower energy level to a number above that in the high energy level will negate the population inversion and thereby prevent the amplifications of emitted light by stimulated emission. In other words, as atoms move from the upper energy level to the lower energy level, more photons will be lost by spontaneous emission-giving off randomly directed, out-of-phase light-than gained due to the process of stimulated emission.

The active medium of a laser can be thought of as an optical amplifier. A beam of coherent light entering one end of the active medium is amplified through stimulated emission until a coherent beam of increased intensity leaves the other end of the active medium. Thus, the active medium provides optical gain in the laser.

The active medium may be a gas, a liquid, a solid material, or a junction between two slabs of semiconductor materials.

A ruby crystal was the active medium of the first laser, invented by Dr. Theodore Maiman at the Hughes Laboratories in 1960. Liquid active media in tunable dye lasers consist of certain dyes dissolved in ethyl or methyl alcohol. Other active media include many types of gases and mixtures of gases.

Lasers that contain a mixture of helium and neon gases or carbon dioxide gas are common examples of a gaseous active medium. A p-n semiconductor junction, composed of gallium arsenide or gallium phosphide, is an example of yet another type of active medium .

### **Excitation Mechanism**

The excitation mechanism is a source of energy that excites, or "pumps," the atoms in the active medium from a lower to a higher energy state in order to create a

population inversion. In gas lasers and semiconductor lasers, the excitation mechanism usually consists of an electrical-current flow through the active medium. Solid and liquid lasers most often employ optical pumps; for example, in a ruby laser, the chromium atoms inside the ruby crystal may be pumped into an excited state by means of a powerful burst of light from a flashlamp containing xenon gas.

### **FEEDBACK MECHANISM**

The feedback mechanism returns a portion of the coherent light originally produced in the active medium back to the active medium for further amplification by stimulated emission. The amount of coherent light produced by stimulated emission depends upon both the degree of population inversion and the strength of the stimulating signal. The feedback mechanism usually consists of two mirrors--one at each end of the active medium--aligned in such a manner that they reflect the coherent light back and forth through the active medium

### **OUTPUT COUPLER**

The output coupler allows a portion of the laser light contained between the two mirrors to leave the laser in the form of a beam. One of the mirrors of the feedback mechanism allows some light to be transmitted through it at the laser wavelength. The fraction of the coherent light allowed to escape varies greatly from one laser to another--from less than one percent for some helium- neon lasers to more than 80 percent for many solid-state lasers.


### **LASING ACTION**

When the excitation mechanism of a laser is activated, energy flows into the active medium, causing atoms to move from the ground state to certain excited states. In this way, population inversion is created. Some of the atoms in the upper lasing level drop to the lower lasing level spontaneously, emitting incoherent photons at the laser

wavelength and in random directions. Most of these photons escape from the active medium, but those that travel along the axis of the active medium produce stimulated emission, as indicated in Figure 13. The beam produced is reflected back through the active medium by the mirrors. A portion of the light that strikes the output coupler leaves the laser as the output beam.

## **2- ENERGY SOURCE OF LASER**

Alaser is created when electrons in the atoms in optical materials like glass, crystal, or gas absorb the energy from an electrical current or a light. That extra energy “excites” the electrons enough to move from a lower-energy orbit to a higher-energy orbit around the atom's nucleus.



The lasing material can be a solid, liquid, gas or semiconductor, and can emit light in all directions. The pump source is typically electricity from a power supply, lamp or flashtube, but may also be another laser.

## **3- RESONATOR OF LASER**

It is a resonant cavity with a suitable design consisting of two flat or concave mirrors, both or one of which is completely reflective of light (100%) and the second has a reflectivity of less than 100%

## **Discussion**

1 - What is the purpose of pumping atoms in the active medium ?

- a) To create a population inversion.
- b) To reduce the population of the higher energy level
- c) To amplify the coherent light
- d) To negate the population inversion
- E) None of the above

2- What is the active medium in the first laser invented by Dr. Theodore Maiman ?

- a) Gas
- b) Liquid
- c) Ruby crystal.
- d) Semiconductor
- E) None of the above

3- What is the purpose of the feedback mechanism in a laser ?

- a) To reduce the population of the higher energy level
- b) To return a portion of the coherent light back to the active medium.
- c) To amplify the incoherent light
- d) To negate the population inversion
- E) None of the above

4- What is the function of the output coupler in a laser ?

- a) To amplify the coherent light
- b) To allow a portion of the laser light to leave the laser.
- c) To reduce the population of the higher energy level
- d) To negate the population inversion
- E) None of the above

5- What is the lasing action in a laser ?

- a) The process of spontaneous emission
- b) The process of stimulated emission.
- c) The process of population inversion
- d) The process of energy absorption
- E) None of the above

6- What is the energy source of a laser ?

- a) Electricity from a power supply
- b) Light from a lamp or flashtube
- c) Another laser
- d) All of the above.
- E) None of the above

7- What is the resonator of a laser ?

- a) A concave mirror
- b) A flat mirror
- c) A resonant cavity with a suitable design.
- d) A reflector
- E) None of the above

8- What happens when atoms move from the upper energy level to the lower energy level ?

- a) More photons are gained by stimulated emission
- b) More photons are lost by spontaneous emission.
- c) The population inversion is created
- d) The lasing action stops
- E) None of the above

9- What is the purpose of the excitation mechanism in a laser ?

- a) To reduce the population of the higher energy level
- b) To create a population inversion.
- c) To amplify the coherent light
- d) To negate the population inversion
- E) None of the above



10- What is the active medium in a tunable dye laser ?

- a) A gas
- b) A liquid with certain dyes dissolved in ethyl or methyl alcohol.
- c) A solid material
- d) A semiconductor
- E) None of the above