



Computer Application (MATLAB)

تطبيقات الحاسبة (ماتلاب)
2025-2024

Lecture 5

by

Dr Murtada Dohan

murtada.dohan@uomus.edu.iq





Learning Objectives

- Understand how to use the **mod** function for modular arithmetic
- Uses of **isempty** to check for empty arrays or variables.
- Understand how to use **for** loops to repeat operations in MATLAB.
- Understand the purpose and structure of **while** loops in MATLAB.





The Structure of if-else in MATLAB

- Basic syntax:

if condition

% Code to execute if condition is true

elseif other_condition

% Code to execute if other_condition is true

else

% Code to execute if none of the conditions are true

End

- Note: Always close the if-else statement with end.





Example: if-elseif-else Statement

- Example to check if a number is positive, negative, or zero:

```
x = 0;  
if x > 0  
    disp('x is positive');  
elseif x < 0  
    disp('x is negative');  
else  
    disp('x is zero');  
end
```

- Explanation:
 - MATLAB evaluates each condition in order until one is true. If none are true, else executes.





Using Logical Operators in Conditions

- Logical Operators allow combining multiple conditions:
 - **&&**: Logical **AND** (both conditions must be true)
 - **||**: Logical **OR** (at least one condition must be true)
 - **~**: Logical **NOT** (inverts true to false and vice versa)
- Example:

```
a = 5;  
b = 10;  
if a > 0 && b > 0  
    disp('Both a and b are positive');  
end
```





Nested if-else Statements

- What is Nesting?
 - Placing one if-else statement inside another for complex conditions.

- Example:

```
x = 10;  
if x > 0  
    if x > 5  
        disp('x is positive and greater than 5');  
    else  
        disp('x is positive but 5 or less');  
    end  
end
```





Common Mistakes to Avoid

- Forgetting to use **end** to close **if-else** blocks.
- Incorrectly using **=** instead of **==** for equality check.
- Overusing nested **if-else** statements when simpler logic would suffice.
- Mixing up logical operators (e.g., **&&** and **||**).



if with Entire Arrays

- MATLAB evaluates conditions in if statements as true if all elements of an array meet the condition.

- Example:

```
A = [1, 2, 3];  
if all(A > 0)  
    disp('All elements are positive');  
end
```

- Note: If any element does not satisfy the condition, it will consider the entire condition as false.





Using all and any Functions with Arrays

- `all(array)`: Returns true if all elements of array are true.
- `any(array)`: Returns true if at least one element of array is true.

- Examples:

```
A = [1, -3, 5];  
if any(A < 0)  
    disp('There are negative elements');  
end
```

```
if all(A > 0)  
    disp('All elements are positive');  
else  
    disp('Not all elements are positive');  
end
```





Applying Element-wise Condition

- Element-wise conditions allow applying logical tests to each element in an array.
- Syntax: Use element-wise operators with arrays (&, |, ~).
- Example:

```
A = [5, -3, 8];
```

```
B = A > 0; % Element-wise comparison
```

```
disp(B); % Output: [1 0 1]
```





Conditional Indexing with Arrays

- You can use logical conditions to select elements from an array.
- Example:

```
A = [1, -2, 3, -4, 5];
```

```
posElements = A(A > 0); % Select positive elements
```

```
disp(posElements); % Output: [1 3 5]
```





Combining Multiple Conditions on Arrays

- Use logical operators to combine conditions for element-wise evaluations.

- Example:

```
A = [10, 15, 20, 25, 30];
```

```
selectedElements = A(A > 10 & A < 25); % Elements between 10 and 25
```

```
disp(selectedElements); % Output: [15 20]
```





Using Nested if Statements with Arrays

- Use nested if statements for multi-step checks on arrays.

- Example:

```
A = [4, 9, 16, 25];
```

```
if all(A > 0)
```

```
    if any(sqrt(A) == 5)
```

```
        disp('Array contains an element whose square root is 5');
```

```
    else
```

```
        disp('No element has a square root of 5');
```

```
    end
```

```
end
```





The mod Function

- Purpose: Calculates the remainder of a division operation.
- Syntax:
`result = mod(a, b);`
- Parameters:
 - a: Dividend
 - b: Divisor
- Example:
`mod(10, 3)` % Returns 1 (remainder of 10/3)





Common Uses of the mod Function

- Even or Odd Check:
- To check if a number is even:

`mod(n, 2) == 0`

- Example:

`n = 5;`

`if mod(n, 2) == 0`

`disp('n is even');`

`else`

`disp('n is odd');`

`end`





Practical Examples of mod

- Example 1: Find numbers divisible by 3 in a vector.

```
A = [1, 2, 3, 4, 5, 6];
```

```
divisibleBy3 = A(mod(A, 3) == 0); % Returns [3 6]
```

- Example 2: Display every third element in a vector:

```
A = [10, 20, 30, 40, 50, 60];
```

```
for i = 1:length(A)
```

```
    if mod(i, 3) == 0
```

```
        disp(A(i));
```

```
    end
```

```
end
```





The isempty Function

- Purpose: Checks if a variable or array is empty.
- Syntax:

```
result = isempty(variable);
```

- Returns: true if variable is empty, false otherwise.
- Example:

```
B = [];
```

```
isempty(B) % Returns true
```





Common Uses of isempty

- Check if Arrays Are Empty:
 - Use in conditional statements to avoid errors in code execution.
- Validation Before Operations:
 - Ensures variables have data before performing calculations.
- Example:

```
values = [];  
if isempty(values)  
    disp('No values to process');  
else  
    % Process values  
end
```





Understanding for Loops

- Definition: A for loop repeats a block of code a specified number of times.
- Usage: Ideal for iterating over arrays, performing calculations repeatedly, and automating repetitive tasks.
- Basic Structure:

```
for index = start:step:end  
    % Code to execute  
end
```





Basic Syntax of a for Loop

- Structure:

```
for i = 1:5  
    disp(i); % Displays values from 1 to 5  
end
```

- Explanation:

- $i = 1:5$ sets the loop to run from 1 to 5, incrementing by 1 each time.
- Inside the loop, `disp(i)` displays the current value of i .





Using Custom Step Sizes

- Syntax: Define step sizes by specifying start:step:end.
- Example:

```
for j = 1:2:10
    disp(j); % Displays odd numbers from 1 to 9
end
```
- Explanation: The loop starts at 1, increments by 2 each time, and stops at 10.





Iterating Over Arrays

- Purpose: for loops are commonly used to access each element in an array.
- Example:

```
A = [3, 6, 9, 12];  
for k = 1:length(A)  
    disp(A(k)); % Displays each element in A  
end
```
- Explanation: The loop runs from 1 to `length(A)`, displaying each element in A sequentially.





Using Nested for Loops

- Definition: A for loop inside another for loop.
- Common Use: Useful for iterating over matrices and multidimensional arrays.

- Example:

```
for i = 1:3
    for j = 1:3
        disp([i, j]); % Displays all combinations of i and j
    end
end
```

- Explanation: The outer loop runs for each row, while the inner loop iterates through each column.





Example: Sum Array

- Problem: Write a for loop to calculate the sum of all elements in an array.

- Solution:

```
A = [1, 2, 3, 4];
```

```
total = 0;
```

```
for i = 1:length(A)
```

```
    total = total + A(i);
```

```
end
```

```
disp(total); % Displays 10
```





Using break in a for Loop

- Purpose: break stops the loop when a condition is met.
- Example:

```
A = [3, 5, 8, 2];  
for i = 1:length(A)  
    if A(i) == 8  
        disp('Found 8');  
        break; % Exit loop once 8 is found  
    end  
end
```

- Explanation: The loop stops immediately when $A(i) == 8$.





Using continue to Skip Iterations

- Purpose: continue skips to the next iteration without executing the remaining code in the loop.
- Example:

```
for i = 1:5
    if mod(i, 2) == 0
        continue; % Skip even numbers
    end
    disp(i); % Displays only odd numbers
end
```
- Explanation: The loop displays only odd numbers, as it skips even iterations.





Understanding while Loops

- Definition: A while loop repeats a block of code as long as a specified condition remains true.
- When to Use: Ideal when the number of iterations is not known in advance but depends on a condition.
- Basic Structure:

`while condition`

`% Code to execute repeatedly`

`end`





Basic while Loop Syntax

- Structure:

```
x = 0;  
while x < 5  
    disp(x);  
    x = x + 1;  
End
```

- Explanation:

- The loop will continue as long as **x < 5**.
- Each iteration increments **x** by **1** and displays its value.





Avoiding Infinite Loops

- Explanation: If the loop condition is always true, the loop will run indefinitely.
- Solution: Ensure that a variable inside the loop changes so the condition can eventually become false.
- Example of Infinite Loop:

```
x = 1;  
while x > 0  
    disp(x); % This will run indefinitely  
end
```

- Fix: Increment or modify x within the loop to avoid infinite execution.





Using while Loops with Arrays

- Example: Finding the first negative element in an array.
- Solution:

```
A = [3, 5, -2, 8, -7];
```

```
i = 1;
```

```
while i <= length(A) && A(i) >= 0
```

```
    i = i + 1;
```

```
end
```

```
if i <= length(A)
```

```
    disp(['First negative element is ', num2str(A(i))]);
```

```
else
```

```
    disp('No negative elements found');
```

```
end
```





Using Nested while Loops

- Definition: A while loop inside another while loop, useful for multi-level conditions.
- Example: Filling a 3x3 matrix with increasing numbers until a limit.

```
limit = 9;  
matrix = zeros(3);  
i = 1;  
j = 1;  
count = 1;  
while count <= limit  
    while j <= 3  
        matrix(i, j) = count;  
        count = count + 1;  
        j = j + 1;  
    end  
    j = 1; % Reset column  
    i = i + 1; % Move to next row  
end  
disp(matrix);
```





Using break in a while Loop

- Purpose: break stops the loop immediately when a condition is met.

- Example:

```
A = [3, 5, 7, -2, 4];
```

```
i = 1;
```

```
while i <= length(A)
```

```
    if A(i) < 0
```

```
        disp(['Negative number found: ', num2str(A(i))]);
```

```
        break; % Exit loop when a negative number is found
```

```
    end
```

```
    i = i + 1;
```

```
end
```





Review of Key Concepts

- **mod Function:** Useful for finding remainders, checking divisibility, and periodic checks.
- **isempty Function:** Helps check if arrays or variables are empty, which is useful for validation and preventing errors.
- **Loop Structure:** Use for to repeat a block of code.
- **Step Sizes:** Customize increments with start:step:end.
- **Loop Control:** Use break to exit early and continue to skip iterations.
- **Loop Structure:** Use while to repeat code while a condition is true.





Practice Exercise

- Task 1: Create a for loop to display the square of numbers from 1 to 10.
- Task 2: Create a nested while loop to print the multiplication table up to 5x5.
- Task 3: Using break, stop a loop once it finds a value greater than 50 in an array.





Exercises Submission

- All exercises need to be submitted by Monday 11 Nov 23:59.
- Submit your answers via: <https://forms.gle/zwmVsHVJziQECg949>





Let's try MATLAB

Launch MATLAB and work towards the exercises

