



Odd and even powers of sine and cosine:

To integrate an odd positive power of $\sin x$ (say $\sin^{2n+1} x$) we split off a factor of $\sin x$ and rewrite the remaining even power in terms of the cosine. We write : –

$$\int \sin^{2n+1} x \, dx = \int (1 - \cos^2 x)^n \sin x \, dx$$

$$\int \cos^{2n+1} x \, dx = \int (1 - \sin^2 x)^n \cos x \, dx$$

Ex 2: Evaluate : – 1) $\int \sin^3 x \, dx$ 2) $\int \cos^5 c \, dx$

Sol:

$$\begin{aligned} 1) \int \sin^3 x \, dx &= \int \sin^2 x \sin x \, dx = \int (1 - \cos^2 x) \sin x \, dx \\ &= \int \sin x \, dx + \int \cos^2 x (-\sin x) \, dx = -\cos x + \frac{1}{3} \cos^3 x + c \end{aligned}$$

$$\begin{aligned} 2) \int \cos^5 c \, dx &= \int \cos^4 x \cos x \, dx = \int (1 - \sin^2 x)^2 \cos x \, dx \\ &= \int \cos x \, dx - 2 \int \sin^2 x \cos x \, dx + \int \sin^4 x \cos x \, dx \\ &= \sin x - \frac{2}{3} \sin^3 x + \frac{1}{5} \sin^5 x + c \end{aligned}$$



$$\begin{aligned}\int \sin^4 x \cos^3 x \, dx &= \int \sin^4 x \cos^2 x \cos x \, dx = \\ &= \int \sin^4 x (1 - \sin^2 x) \cos x \, dx = \int \sin^4 x \cos x \, dx - \int \sin^6 x \cos x \, dx \\ &= \frac{\sin^5 x}{5} - \frac{\sin^7 x}{7} + c\end{aligned}$$

To integrate an even positive power of sine (say $\sin^{2n} x$) we use the relations: –

$$\cos^2 \theta = \frac{1 + \cos 2\theta}{2} \quad \text{or} \quad \sin^2 \theta = \frac{1 - \cos 2\theta}{2}$$

Then we can write:-

$$\int \sin^{2n} x \, dx = \int \left(\frac{1 - \cos 2\theta}{2} \right)^n dx \quad \text{and} \quad \int \sin^{2n} x \, dx = \int \left(\frac{1 - \cos 2\theta}{2} \right)^n dx$$

$$\text{Ex 3: Evaluate: } 1) \int \cos^2 \theta \, d\theta \quad 2) \int \sin^4 \theta \, d\theta$$

Sol:

$$\begin{aligned}1) \int \cos^2 \theta \, d\theta &= \int \frac{1 + \cos 2\theta}{2} \, d\theta = \frac{1}{2} \left[\int d\theta + \int 2 \cos 2\theta \, d\theta \right] \\ &= \frac{1}{2} \left[\theta + \frac{1}{2} \sin 2\theta \right] + c\end{aligned}$$

$$\begin{aligned}2) \int \sin^4 \theta \, d\theta &= \int \left(\frac{1 - \cos 2\theta}{2} \right)^2 \, d\theta = \frac{1}{4} \left[\int d\theta - \int \cos 2\theta (2d\theta) + \int \cos^2 2\theta \, d\theta \right] \\ &= \frac{1}{4} \left[\theta - \sin 2\theta + \int \frac{1 + \cos 4\theta}{2} \, d\theta \right] = \frac{1}{4} \left[\theta - \sin 2\theta + \frac{1}{2} \left(\theta + \frac{1}{4} \sin 4\theta \right) \right] + c \\ &= \frac{3}{8} \theta - \frac{1}{4} \sin 2\theta + \frac{1}{32} \sin 4\theta + c\end{aligned}$$