



**University of Al-Mustaqbal
College of Science
Department of Medical
Physics**



Biomaterials

Stage : fourth

LEC (10):

**Electrical, Thermal, Piezoelectricity, Optical
& Porosity Properties**

BY:

M.SC. Mariam Hassan Abd Muslim

Introduction

Biomaterials play a fundamental role in modern medicine and biomedical engineering. They are widely used in medical implants, prosthetic devices, diagnostic instruments, and therapeutic systems. The success of biomaterials inside the human body depends not only on their biocompatibility but also on their physical, chemical, and mechanical properties.

Among the most important physical characteristics of biomaterials are **electrical, thermal, piezoelectric, optical, and porosity properties**. These properties determine how a material behaves in the biological environment and how effectively it performs its intended medical function.

Understanding these properties is essential for the proper design and selection of biomaterials used in applications such as orthopedic implants, biosensors, medical imaging devices, and ophthalmic materials. According to **Park & Lakes (2007)** and **Callister & Rethwisch (2010)**, the study of physical properties of materials is a key step in developing safe and effective biomedical devices.

1. Electrical Properties of Biomaterials

Electrical properties refer to the ability of a material to conduct or resist the flow of electric current. These properties are particularly important in biomedical devices that interact with electrical signals within the body.

The electrical conductivity of a material depends mainly on its atomic structure and bonding characteristics. Metallic biomaterials such as titanium and stainless steel, which are commonly used in implants, have high electrical conductivity because they contain free electrons that can move easily through the crystal lattice.

In contrast, ceramic and polymeric biomaterials usually act as electrical insulators because their electrons are strongly bound to atoms and cannot move freely.

The electrical behavior of biomaterials is influenced by several factors, including:

1. Atomic structure of the material
2. Type of chemical bonding
3. Temperature
4. Presence of impurities or crystal defects

Electrical properties are especially important in medical devices such as **pacemakers, neural electrodes, and biosensors**, where materials must transmit electrical signals efficiently while remaining biocompatible.

2. Thermal Properties of Biomaterials

Thermal properties describe how a material responds to **changes in temperature and heat transfer**. Since the human body operates at a relatively constant temperature of about **37°C**, biomaterials must remain stable within this thermal environment.

Important thermal properties include:

1.2 Thermal Conductivity

Thermal conductivity is the ability of a material to transfer heat. Metals generally have high thermal conductivity due to the presence of free electrons, whereas polymers and ceramics have lower thermal conductivity.

2.2 Coefficient of Thermal Expansion

Most materials expand when heated and contract when cooled. Therefore, biomaterials used in implants should have a coefficient of thermal expansion similar to that of surrounding tissues or bone to prevent mechanical stresses.

3.2 Heat Capacity

Heat capacity refers to the amount of heat required to raise the temperature of a material by a certain amount. This property is important during sterilization processes where materials are exposed to high temperatures.

According to **Callister & Rethwisch (2010)**, understanding thermal properties helps engineers design materials that can withstand **sterilization procedures and physiological temperature conditions** without degradation.

3. Piezoelectricity in Biomaterials

Piezoelectricity is a physical phenomenon in which certain materials **generate an electric charge when subjected to mechanical stress**. Conversely, these materials may deform mechanically when exposed to an electric field.

Interestingly, some biological tissues such as **bone and collagen** exhibit natural piezoelectric behavior. Mechanical stresses generated during activities such as walking or movement can produce small electrical signals in bone tissue. These signals are believed to play an important role in **bone growth and remodeling**.

Synthetic piezoelectric materials, including certain **ceramics and polymers**, have been developed to mimic this biological behavior. These materials are used in several biomedical applications such as:

1. Bone growth stimulation devices
2. Medical sensors
3. Implantable electronic devices
4. Diagnostic instruments

As described by **Park & Lakes (2007)**, studying piezoelectric effects in biomaterials provides insight into the **electromechanical interactions occurring within biological tissues**.

4. Optical Properties of Biomaterials

Optical properties describe how materials interact with **light or electromagnetic radiation**. These properties are particularly important in medical applications involving optical diagnostics and ophthalmology.

Key optical phenomena include:

1. **Absorption** – the process by which a material absorbs light energy.
2. **Reflection** – the bouncing back of light from a material surface.
3. **Refraction** – the bending of light when it passes from one medium to another.
4. **Transmission** – the passage of light through a material.

These optical characteristics are critical in designing medical materials such as:

- Intraocular lenses
- Endoscopic imaging systems
- Optical fibers used in surgery
- Laser-based medical devices

For example, materials used in **intraocular lenses** must possess high transparency and an appropriate refractive index to ensure clear vision after implantation.

5. Porosity Properties of Biomaterials

Porosity refers to the presence of **pores or voids within a material structure**. It is a very important property for biomaterials used in **bone implants and tissue engineering**.

Porous structures allow biological interactions between the implant and surrounding tissues. Porosity contributes to several biological functions, including:

1. Cell attachment and growth
2. Transport of nutrients and body fluids
3. Bone tissue integration with the implant
4. Reduction of material density to match natural bone

Porosity can generally be classified into two types:

I. **Open Porosity:**

In this type, pores are interconnected, allowing fluids and cells to move through the material.

II. **Closed Porosity:**

Here, pores are isolated from each other and do not allow fluid penetration.

The **size, shape, and distribution of pores** significantly influence the biological performance of biomaterials. Proper pore structure can enhance bone ingrowth and improve the stability of orthopedic implants.