



جامعة المستقبل
AL MUSTAQBAL UNIVERSITY



قسم الامن
السيبراني

DEPARTMENT OF CYBER SECURITY

SUBJECT:

COMPUTER ORGANIZATION & LOGIC DESIGN

CLASS:

FIRST

LECTURE: (3)

(NUMBERS SYSTEM)

LECTURER:

MSC :MUNTATHER AL-MUSSAWEE

Lec._3

التحويل بين أنظمة الأرقام / Convert Between Number Systems

For example: $(4)_{10}$ in binary is $(100)_2$.

Here, 4 is represented in the decimal number system, where we can represent the number using the digits from 0-9.

However, in a binary number system, we use only two digits, such as 0 and 1.


Now, let's discuss how to convert 4 in binary number system. دعونا نناقش كيفية تحويل رقم 4 الى النظام الثنائي.

The following steps help to convert 4 in binary divide the number 4 by 2. Use the integer quotient obtained in this step as the dividend for the next step.

Continue this step, until the quotient becomes 0.

Dividend	Remainde r	Rank	
$4/2 = 2$	0	2_0	Least Significant Bit (LSB)
$2/2 = 1$	0	2_1	Most Significant Bit (MSB)
$1/2 = 0$	1	2_2	
$(001)_2 = (4)_{10}$ لذلك			

For example: $(61)_{10}$ How to convert in binary number system $(?)_2$.

Dividend	Remainder	Rank	To check  <u>Convert</u> <u>binary to decimal</u>
$61/2 = 30$	1	2^0 2^1 (LSB)	1X1
$30/2 = 15$	0	2^2	0X2
$15/2 = 7$	1		1X4
$7/2 = 3$	1	2^3	1X8
$3/2 = 1$	1	2^4	1X16
$1/2 = 0$	1	2^5 (MSB)	1X32
$(101111)_2 = (61)_{10}$ لذلك			<u>Sum all</u> =61

Octal and hexadecimal Number System – Conversions, Examples

Octal Every digit has to be converted to a 3-bit binary number. Thus, we get the binary equivalent of the number.

hexadecimal Every digit has to be converted to a 4-bit binary number. Thus, we get the binary equivalent of the number.

Let's understand this with the help of an example.

Example: Convert $(16)_8$ into a binary number. Then to hexadecimal

Solution: $(16)_8$ is an octal number.

With the above conversion, we can write

$$1_8 = 001_2 \text{ and } 6_8 = 110_2$$

$$\text{Thus, } (16)_8 = (001110)_2$$

$$\text{So } (16)_8 = (0E)_{16}$$

Example: Convert $(16)_{16}$ into a binary number. Then to **octal**

Solution: $(16)_{16}$ is a hexadecimal number.

With the above conversion, we can write

$$1_{16} = 0001_2 \text{ and } 6_{16} = 0110_2$$

$$\text{Thus, } (16)_{16} = (00010110)_2$$

$$\text{So } (16)_{16} = (26)_8$$

Convert each hex digit to 4 binary digits and then convert each 3 binary digits to octal digits

قم بتحويل كل رقم سداسي عشري إلى 4 أرقام ثنائية ثم قم بتحويل كل 3 أرقام ثنائية إلى أرقام ثماني

Conversion of Octal to Decimal Numbers

Converting octal to decimal is a simple process!

A number in the octal system is expanded with the base of eight, where each digit is multiplied with the power of 8, based on its position.

After the octal is converted to decimal, it has a base of 10.

Example: Convert $(321)_8$ to decimal form.

$$(321)_8 = (3 \times 8^2) + (2 \times 8^1) + (1 \times 8^0)$$

$$= (3 \times 64) + (2 \times 8) + (1 \times 1)$$

$$= 192 + 16 + 1 = 209_{10}$$

Thus, $(321)_8 = (209)_{10}$

Conversion of Decimal to Octal Number

In this conversion, the decimal number is divided by 8 each time a remainder is obtained from the previous digit. Let us understand this conversion with the help of an example.

Example: Convert 416_{10} to octal.

Divide 416 by the octal base number, 8.

Division by 8	Quotient	Remainder
$416 \div 8$	52	0
$52 \div 8$	6	4
$6 \div 8$	0	6

We stop when the quotient value becomes 0. By writing the remainders in reverse order, we get the equivalent octal number. Thus, the octal representation of 416_{10} is 640_8 .

Conversion of Octal to Hexadecimal Numbers

The simplest way is to first convert the octal number to a decimal, and then the decimal to a hexadecimal number.

Let us understand octal to hexadecimal conversion with the help of an example.

Example: Convert $(70)_8$ to hexadecimal.

Step 1: Octal to Decimal

$$(70)_8 = (7 \times 8^1) + (0 \times 8^0)$$

$$(70)_8 = (56)_{10}$$

Step 2: Decimal to hexadecimal

Now, we need to convert $(56)_{10}$ to a hexadecimal number.

Divide the number 56 by 16 until the number in the quotient value becomes 0.

Write remainders in reverse order.

$$\text{Therefore, } (70)_8 = (38)_{16}$$

Facts about the Octal Number System


- In 1801, James Anderson criticized the French for basing the metric system on decimal arithmetic. He suggested the base 8 and he coined the term octal.
- The main advantage of using octal numbers is that it uses fewer digits than the decimal and hexadecimal number system. So, it has fewer computations and less computational errors.
- The octal number system is widely used in computer application sectors and digital numbering systems. The octal number is also used in the aviation sector in the form of a code.
- The octal system is similar to the hexadecimal system because they are both easily converted to binary, where octal is equal to three-digit binary and hexadecimal is equal to four-digit binary.

مقارنة بين النظام الثماني والسادس عشر

8 ³	8 ²	8 ¹	8 ⁰	10 ³	10 ²	10 ¹	10 ⁰	16 ²	16 ¹	16 ⁰
				Decimal				hexadecim		
tal										
0412				0266				10A		
0413				0267				10B		
1776				1022				3FE		
1777				1023				3FF		

8 ³	8 ²	8 ¹	8 ⁰	2 ⁹	2 ⁸	2 ⁷	2 ⁶	2 ⁵	2 ⁴	2 ³	2 ²	2 ¹	2 ⁰	16 ²	16 ¹	16 ⁰
octal				Binary										hexadecimal		
0412				0	1	0	0	0	0	1	0	1	0	10A		
0413				0	1	0	0	0	0	1	0	1	1	10B		
1776				1	1	1	1	1	1	1	1	1	0	3FE		
1777				1	1	1	1	1	1	1	1	1	1	3FF		

Binary قيمته تعادل ثلاث بتات من نظام octal من الجدول أعلاه نلاحظ ان نظام قيمته تعادل كل أربع بتات. hexadecimal بينما نظام



التحقق:

$$=1 \times 8^3 + 7 \times 8^2 + 7 \times 8^1 + 6 \times 8^0$$

$$=6 \times 1 + 56 + 448 + 512$$

$$= 1022 \text{ بالنظام decimal.}$$

1. نظام octal

$$=3 \times 16^2 + F \times 16^1 + E \times$$

$$=14 \times 1 + 15 \times 16 + 3 \times 256$$

$$=1022 \text{ بالنظام decimal}$$

2. نظام hexadecimal