



جامعة المستقبل
AL MUSTAQBAL UNIVERSITY



قسم الامان السيبراني

Department of Cyber Security

Subject:

Stream Cipher Structure

Class:

Second

Lecturer: 1

Asst. Raed alshmary

Lecture: (1)


Introduction



1. Stream Cipher Structure


A typical stream cipher encrypts plaintext one byte at a time; although a stream cipher may be designed to operate on one bit at a time or on units larger than a byte at a time. In the following figure is a representative diagram of stream cipher structure. In this structure a key is input to a **pseudorandom** bit generator that produces a stream of 8-bit numbers that are apparently random. For now, we simply say that a pseudorandom stream is one that is unpredictable without knowledge of the input key. The output of the generator, called a keystream, is combined one byte at a time with the plaintext stream using the bitwise exclusive-OR (XOR) operation. For example, if the next byte generated by the generator is 01101100 and the next plaintext byte is 11001100, then the resulting cipher text byte is

$$\begin{array}{r} 11001100 \\ \oplus 01101100 \\ \hline 10100000 \end{array} \quad \begin{array}{l} \text{plaintext} \\ \text{key stream} \\ \text{ciphertext} \end{array}$$



Decryption requires the use of the **same** pseudorandom sequence:

$$\begin{array}{r} 10100000 \\ \oplus 01101100 \\ \hline 11001100 \end{array} \quad \begin{array}{l} \text{ciphertext} \\ \text{key stream} \\ \text{plaintext} \end{array}$$



Stream Cipher Diagram

Note: The stream cipher is similar to the **one-time pad** discussed .The difference is that a one-time pad uses a **genuine** random number stream, whereas a stream cipher uses a **pseudorandom** number stream.

2. Important element for design a stream cipher

1. The **encryption** sequence should have a **large period**.

A pseudorandom number generator uses a function that produces a deterministic stream of bits that eventually repeats. The longer the period of repeat the more difficult it will be to do cryptanalysis. This is essentially the same consideration that was discussed with reference to the Vigenère cipher, namely that the longer the keyword the more difficult the cryptanalysis.



2. The **keystream** should approximate the properties of a true **random** number stream as close as possible. For example, there should be an approximately equal **numbers of 1s and 0s**. If the keystream is treated as a stream of bytes, then all of the 256 possible byte values should appear approximately equally often.

The more random appearing the keystream is, the more randomized the cipher text is, making cryptanalysis more difficult.

3. the **output** of the pseudorandom number generator is conditioned on the value of the **input key**. To guard against brute-force attacks, the key needs to be sufficiently long.
The same considerations as apply for block ciphers are valid here. Thus, with current technology, a key length of at **least 128 bits** is desirable.

Note: Pseudorandom Number Generators (PRNGs)

Cryptographic applications typically make use of algorithmic techniques for random number generation.

These algorithms are deterministic and therefore produce sequences of numbers that are not statistically random.

However, if the algorithm is **good**, the resulting sequences will pass many reasonable tests of randomness. Such numbers are referred to as **pseudorandom numbers**.

3. Types of stream ciphers

A stream cipher generates successive elements of the **keystream** based on an **internal** state. This state is updated in essentially two ways: if the state changes independently of the **plaintext** or **cipher text** messages, the cipher is classified as a synchronous stream cipher.

By contrast, self synchronising stream ciphers update their state based on previous cipher text digits.




❖ Synchronous stream ciphers

Definition: A synchronous stream cipher is one in which the keystream is generated **independently** of the plaintext message and of the cipher text. The encryption process of a synchronous stream cipher can be described by the equations:

$$\begin{aligned}\sigma_{i+1} &= f(\sigma_i, k), \\ z_i &= g(\sigma_i, k), \\ c_i &= h(z_i, m_i),\end{aligned}$$

where σ is the **initial** state and may be determined from the key k , f is the next-state function, g is the function which produces the key stream z_i , and h is the output function which combines the keystream and plaintext m_i to produce cipher text c_i .

The encryption and decryption processes are depicted in following figure.
The **OFB** mode of a block cipher





properties of synchronous stream ciphers

(1) synchronization requirements:

In a synchronous stream cipher, both the sender and receiver must be synchronized – using the **same key** and **operating at the same position (state)** within that key – to allow for proper decryption.

If synchronization is lost due to cipher text digits being inserted or deleted during transmission, then decryption **fails** and can only be restored through additional techniques for resynchronization.

Techniques for re-synchronization include initialization, placing special markers at regular intervals in the cipher text, or, if the plaintext contains enough redundancy, trying all possible keystream offsets.

(2) No error propagation:

A cipher text digit that is modified (but not deleted) during transmission does **not No error propagation: affect** the decryption of **other** cipher text digits.

(3) Active attacks:

As a consequence of property (i), the insertion, deletion, or replay of cipher text digits by an active adversary causes immediate loss of synchronization, and hence might possibly be detected by the decrypted.

❖ Self-synchronizing stream ciphers


Definition: A self-synchronizing or asynchronous stream cipher is one in which the **keystream** is generated as a function of the key and a **fixed number of previous cipher text** digits. The encryption function of a self-synchronizing stream cipher can be described by the equations:




$$\begin{aligned}\sigma_i &= (c_{i-t}, c_{i-t+1}, \dots, c_{i-1}), \\ z_i &= g(\sigma_i, k), \\ c_i &= h(z_i, m_i),\end{aligned}$$

Where $t = (c-t; c-t+1; \dots; c-1)$ is the (non-secret) initial state, \mathbf{k} is the key, \mathbf{g} is the function which produces the keystream \mathbf{z}_i , and \mathbf{h} is the output function which combines the **keystream and plaintext** m_i to produce cipher text c_i . The encryption and decryption processes are depicted in following Figure. The most common presently-used self synchronizing stream ciphers are based on block ciphers in 1-bit cipher feedback mode

(i) Encryption



(ii) Decryption





properties of self-synchronizing stream ciphers

(1) self-synchronization:

Self-synchronization is possible if cipher text digits are deleted or inserted, because the decryption mapping depends only on a fixed number of preceding **cipher text characters**. Such ciphers are capable of re-establishing proper decryption automatically after loss of synchronization, with only a fixed number of plaintext characters unrecoverable.

(2) Limited error propagation:

Suppose that the state of a self-synchronization stream cipher depends on t previous cipher text digits. If a single cipher text digit is **modified** (or even deleted or inserted) during transmission, then decryption of up to t subsequent cipher text digits may be **incorrect**, after which correct decryption resumes.

(3) Active attacks:

Property (ii) implies that any modification of cipher text digits by an active adversary causes several other cipher text digits to be decrypted incorrectly, thereby improving (compared to synchronous stream ciphers) the likelihood of being detected by the descriptor. As a consequence of property (i), **it is more difficult** (than for synchronous stream ciphers) to **detect insertion, deletion, or replay of cipher text digits** by an active adversary.

This illustrates that additional mechanisms must be employed in order to provide data origin authentication and data integrity guarantees.

(4) Diffusion of plaintext statistics:

Since each plaintext digit influences the entire following cipher text, the statistical properties of the plaintext are dispersed through the cipher text. Hence, self-synchronizing stream ciphers may be more **resistant** than synchronous stream ciphers against attacks based on plaintext redundancy.