



Lec 3 \ Principles of molecular Diagnostics for disease

قسم علوم التقنيات الاحيائية الطبية
المرحلة الاولى

اعداد

م.م ساره رحيم حمزه

الايمل :

رمز الصف :

قصة تشخيص فيروس كورونا (COVID-19 باستخدام PCR)

حالة المريض: يعاني من حرارة، سعال، وتعب عام | الأعراض مشابهة للإنفلونزا → لا يمكن تأكيد التشخيص سريرياً



الإجراء: 🔍

تم أخذ مسحة من الأنف وإرسالها إلى المختبر

التقنية المستخدمة: RT-PCR 🧪

- استخراج RNA الفيروس

- تحويله إلى DNA

- تضخيمه للكشف عنه



النتيجة: ⚡ الكشف عن الفيروس حتى بكميات قليلة | تشخيص دقيق ومبكر

الرسالة: 🎯

التشخيص الجزيئي يكشف الأمراض على مستوى المادة الوراثية

introduction

Molecular diagnostics generally refers to detecting or analyzing nucleic acid molecules (DNA or RNA) or specific proteins in clinical samples. The information provided by molecular diagnostics is used to detect pathogens and analyze patient genes leading to treatment for infectious diseases or genetic disorders. The most common sample sources are patient blood or tissue..



For a while, the **only means of detecting pathogens** was through **growing sample cultures**, but this method was **time-consuming**, not to mention **dangerous** for lab technicians. In the past few decades .


Molecular diagnostics is a rapidly evolving field that leverages molecular biology techniques to **diagnose diseases, assess disease progression, identify genetic predispositions**, and **monitor responses to treatment**. The goal of molecular diagnostics is to **provide a more precise, accurate, and timely diagnosis**, which is crucial for effective patient management.



Specimens used in Molecular Diagnostic Tests



Blood sample



Bacterial Sample



Nasal or throat swabs




Stool Sample



Tissue Sample



Urine Sample



Saliva Sample

Molecular diagnostics involves the **detection of specific** molecules—such as **DNA, RNA, or proteins**—in **biological samples** (blood, saliva, tissue, etc.) to identify or confirm the presence of diseases or genetic conditions.

Unlike traditional diagnostic methods, which focus on symptoms and observable **changes in the body**, molecular diagnostics focuses on the molecular alterations occurring within the cells or tissues



Molecular diagnostics is grounded in several key principles of molecular biology, including:

A. Nucleic Acid Detection: الكشف عن الأحماض النووية

The foundation of molecular diagnostics is the detection of nucleic acids—DNA or RNA. Changes in the structure or expression of nucleic acids can indicate the presence of infections, genetic disorders, or cancer. Techniques used for detecting nucleic acids include:

تشمل التقنيات المستخدمة للكشف عن الأحماض النووية ما يلي:



Polymerase Chain Reaction (PCR):


PCR is the **most widely used method** in molecular diagnostics. It amplifies a specific DNA segment to generate sufficient quantities of the target molecule for analysis. PCR is used in a variety of diagnostic applications, including detecting **infectious agents**, **genetic mutations**, and **mutations associated with cancer**.



Reverse Transcription PCR (RT-PCR):

RT-PCR is used to **detect RNA by converting** it into complementary DNA (cDNA) through reverse transcription.

RT-PCR is commonly used to detect RNA viruses, such as **SARS-CoV-2, the virus that causes COVID-19**



Quantitative PCR (qPCR):

تفاعل البوليميراز المتسلسل الكمي


qPCR quantifies the **amount of a specific DNA or RNA sequence** in a sample. It is used for assessing **gene expression**, detecting viral loads, and monitoring treatment efficacy



Real Time PCR / quantitative PCR (qPCR)




Polymerase chain reaction - PCR



1 Denaturation at 95-96°C

2 Annealing at 68°C

3 Elongation at 72°C



B. Hybridization Techniques: تقنيات التهجين:

Hybridization refers to the binding of complementary strands of nucleic acids. It is used to detect specific DNA or RNA sequences in a sample.

- **Fluorescent In Situ Hybridization (FISH)** : التهجين الموضعي الفلوري (FISH) uses **fluorescent probes** to detect **specific DNA or RNA** sequences within intact cells or tissue samples. It is used for detecting **chromosomal abnormalities** and identifying certain **cancers**.
- **Southern Blotting** : Southern blotting is a technique used to detect specific **DNA sequences** in a sample after they have been **separated by gel electrophoresis** and transferred onto a membrane.
- **Northern Blotting**: Northern blotting is used to detect specific **RNA sequences**. This technique is **useful for studying gene expression**.

C. Sequencing Technologies: تقنيات التسلسل

Sequencing technologies provide detailed information about the exact nucleotide sequence of DNA or RNA. Two major types of sequencing used in molecular diagnostics are:

- **Sanger Sequencing** تسلسل سانجر : The Sanger method is a traditional DNA sequencing method that is highly accurate and widely used for small-scale sequencing projects or when a specific mutation needs to be detected.

- **Next-Generation Sequencing (NGS)** تسلسل الجيل التالي : NGS refers to a high-throughput sequencing technology that can sequence millions of DNA or RNA fragments simultaneously. It is used in comprehensive genomic profiling, whole genome sequencing, and detecting mutations associated with diseases like cancer.

3. Applications of Molecular Diagnostics

تطبيقات التشخيص الجزيئي

Molecular diagnostics is applied in a wide range of clinical settings, including

- A. Infectious Disease Diagnosis
- B. Genetic Disease Diagnosis
- C. Cancer Diagnosis and Prognosis
- D. Prenatal and Newborn Screening

A. Infectious Disease Diagnosis:

Molecular diagnostic techniques can detect pathogens (bacteria, viruses, fungi) by identifying their unique genetic material. PCR and RT-PCR are commonly used for diagnosing infections, including COVID-19, HIV, tuberculosis, and sexually transmitted infections.

B. Genetic Disease Diagnosis:

Molecular diagnostics plays a critical role in identifying inherited genetic disorders such as cystic fibrosis, sickle cell anemia, and Huntington's disease. These tests detect specific genetic mutations responsible for disease.

C. Cancer Diagnosis and Prognosis:

Molecular testing is increasingly used to detect genetic mutations or alterations in tumors. Techniques like PCR, NGS, and FISH are used for identifying cancer-related mutations, such as those found in the BRCA1 and BRCA2 genes in breast cancer, or mutations in the EGFR gene in lung cancer.

D. Prenatal and Newborn Screening:

Molecular diagnostics can be used in prenatal testing to detect genetic disorders such as Down syndrome, as well as inherited conditions. Newborn screening tests, which identify genetic diseases such as phenylketonuria (PKU), are often done using molecular techniques.

Challenges in Molecular Diagnostics تحديات التشخيص الجزيئي

While molecular diagnostics holds immense promise, several challenges exist:

- A. Sensitivity and Specificity:
- B. Interpretation of Results:
- C. Ethical and Privacy Concerns:
- D. Cost and Accessibility: