



Department of Forensic evidence



Department of Forensic evidence

Biology Lab

((Enzymes in Living Tissues))

Lab/6

1 stage

By

Msc. Bushra Huseein Atia




Department of Forensic evidence



An enzyme: is a biological catalyst and is almost always a protein. It speeds up the rate of a specific chemical reaction in the cell. The enzyme is not destroyed during the reaction and is used over and over. A cell contains thousands of different types of enzyme molecules, each specific to a particular chemical reaction.

Enzymes are a linear chain of amino acids, which give rise to a three-dimensional structure. The sequence of amino acids specifies the structure, which in turn identifies the catalytic activity of the enzyme. Upon heating, the enzyme's structure denatures, resulting in a loss of enzyme activity, which typically is associated with temperature.

Mechanism of enzyme activity



classified based on the type of reaction in which they are used to catalyze. The six kinds of enzymes are **hydrolases, oxidoreductases, lyases, transferases, ligases and isomerases.**



Department of Forensic evidence



Enzymes are found in all tissues and fluids of the body. Catalysis of all reactions taking place in metabolic pathways is carried out by intracellular enzymes. The enzymes in the plasma membrane govern the catalysis in the cells as a response to cellular signals and enzymes in the circulatory system regulate the clotting of blood. Most of the critical life processes are established on the functions of enzymes.

Types	Biochemical Property
Oxidoreductases	The enzyme Oxidoreductase catalyzes the oxidation reaction where the electrons tend to travel from one form of a molecule to the other.
Transferases	The Transferases enzymes help in the transportation of the functional group among acceptors and donor molecules.
Hydrolases	Hydrolases are hydrolytic enzymes, which catalyze the hydrolysis reaction by adding water to cleave the bond and hydrolyze it.
Lyases	Adds water, carbon dioxide or ammonia across double bonds or eliminate these to create double bonds.
Isomerases	The Isomerases enzymes catalyze the structural shifts present in a molecule, thus causing the change in the shape of the molecule.
Ligases	The Ligases enzymes are known to charge the catalysis of a ligation process.